

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau

101	щен	andom parees
INTERNATIONAL APPLICATION PUBLIS	HED T	UNDER THE PATENT COOPERATION TREATY (PCT)
(51) International Patent Classification 6:		(11) International Publication Number: WO 95/07971
C11D 3/386, 17/00, 1/94, 1/86	A1	(43) International Publication Date: 23 March 1995 (23.03.95)
(21) International Application Number: PCT/US (22) International Filing Date: 30 August 1994 ((30) Priority Data; 08/121,331 14 September 1993 (14.09.5)	30.08.9	FI, GE, HU, IP, KG, KP, KR, KZ, LK, LT, LV, MD, MG,
 (71) Applicant: THE PROCTER & GAMBLE CX [US/US]; One Procter & Gamble Plaza, Cincin 45202 (US). (72) Inventors: MAO, Mark, Hsiang-Kuen; 4114 For Drive, Cincinnati, OH 45241 (US). MARSHAI Layne; 37 Forest Avenue, Cincinnati, OH 45. VISSCHER, Martha, Onico; 829 Kingfisher Lannati, OH 45246 (US). 	x Holi LL, Jar 215 (U	Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments. 104. 15).
(74) Agents: REED , T., David et al.; The Procter & Company, 5299 Spring Grove Avenue, Cincin 45217 (US).	k Gam mati, (ble OH
Í		1

- (\$4) Title: LIGHT DUTY LIQUID OR GEL DISHWASHING DETERGENT COMPOSITIONS CONTAINING PROTEASE
- (57) Abstract

Mild detergent compositions which exhibit good cleaning performance comprise detergent surfactants and small amounts of protesse. A preferred embodiment additionally contains suds boosters and divalent ions.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT AU BB BE BY BU BR BY	Ameria Australia Bartaados Belgium Burkina Paso Bulgaria Besin Brazzii Belarua	GB GE GN EU E II IP KB	United Kingdom Georgia Guinea Geocce Rhingary Ereland Indy Japan Kenya	Mir MW NE NL NO NZ PL PT	Materiania Materi Niger Norway Now Zealand Poland Pottogal
ar certares es e	Canada Cantral African Republic Congo Switzerland Cône d'Ivolne Cameroon Chitas Cacchollovalda Czech Republic Germany Demorr Spain Finiand			RO RU SD SE \$1 SK SN TD TG TI UA US	Romenta Russian Federation Sudan Sudan Sudan Slovania Slovania Slovania Slovania Slovania Tongo Thilistua Thinidad and Tobago Unrited United States of America
FR GA	France Gallen	MIN	, Mongoka	UZ VN	Uzbekiman Viet Nam

PCT/US94/09923

LIGHT DUTY LIQUID OR GEL DISHWASHING DETERGENT COMPOSITIONS CONTAINING PROTEASE

5

TECHNICAL FIELD

The present invention relates to liquid or gel dishwashing detergent compositions containing detergent surfactants and low levels of protease for consumer preferred skin condition.

10

15

20

BACKGROUND OF THE INVENTION

Light-duty liquid or gel dishwashing detergent compositions are well known in the art. Mildness is often achieved by the usage of certain surfactants such as sulfates of highly ethoxylated alcohols, (see e.g. U.S. Patent 3,743,233, Rose & Thiele), and/or alkyl ethoxy carboxylates (See Japanese Patent Applications 48-60706 and 48-64102). Betaines have also been suggested for use in improving mildness as well as the sudsing of a liquid dishwashing composition.

Likewise, the art is replete with detergent compositions containing enzymes for cleaning (see e.g., U.S. Patent 3,799,879, Francke et al; U.S. Patent 3,634,266, Thiele et al; U.S. Patent 3,707,505, Maeda et al; and 4,162,987, Maguire, Jr. et al and 4,101,457, Place).

It has been found that proteases added to a light-duty liquid or gel dishwashing detergent composition improves the mildness of the composition, even those compositions containing harsh surfactants, and surprisingly improves the dryness of skin.

30

25

SUMMARY OF THE INVENTION

The present invention relates to a light-duty liquid or gel dishwashing detergent composition comprising by weight:

(a) from about 5% to about 99% of detergent surfactant selected from the group consisting of polyhydroxy fatty acid amides; nonionic fatty alkypolyglucosides; Cg-22 alkyl sulfates; Cg-15 alkyl benzene sulfonates, Cg-22 alkyl ether sulfates; Cg-22 olefin sulfonates; Cg-22

10

15

20

25

30

35

PCT/US94/09923

WO 95/07971

- 2 -

paraffin sulfates; C8-22 alkyl glyceryl ether sulfonates; fatty acid ester sulfonates; secondary alcohol sulfates; C12-16 alkyl ethoxy carboxylates; C11-16 special soaps; ampholytic detergent surfactants; zwitterionic detergent surfactants; and mixtures thereof; and

(b) from about 0.001% to about 5% active protease; said composition having a pH between about 4 to about 11.

A particularly preferred embodiment also comprises from about 1.0% to about 20% of a suds booster and 0.1% to about 4% divalent ions (i.e. magnesium and/or calcium).

DETAILED DESCRIPTION OF THE INVENTION

The light-duty liquid or gel dishwashing detergent compositions of the present invention contain two essential components:

- (1) detergent surfactants; and
- (2) low levels of protease effective at the pH of the detergent composition.

Optional ingredients especially suds boosters can be added to provide various performance and aesthetic characteristics.

The term "light-duty dishwashing detergent composition" as used herein refers to those compositions which are employed in manual (i.e. hand) dishwashing.

Detergent Surfactant

The compositions of this invention contain from about 5% to about 99%, preferably from about 10% to about 70%, most preferably from about 20% to about 60% of detergent surfactant.

Included in this category are several anionic surfactants commonly used in liquid or gel dishwashing detergents. The cations associated with these anionic surfactants are preferably selected from the group consisting of calcium, sodium, potassium, magnesium, ammonium or alkanol-ammonium, and mixtures thereof, preferably sodium, ammonium, calcium and magnesium and/or mixtures thereof. Examples of anionic surfactants that are useful in the present invention are the following:

10

15

20

25

WO 95/07971

- 3 -

PCT/US94/09923

- (1) Alkyl benzene sulfonates in which the alkyl group contains from 9 to 15 carbon atoms, preferably 11 to 14 carbon atoms in straight chain or branched chain configuration. An especially preferred linear alkyl benzene sulfonate contains about 12 carbon atoms. U.S. Pat. Nos. 2,220,099 and 2,477,383 describe these surfactants in detail.
- (2) Alkyl sulfates obtained by sulfating an alcohol having 8 to 22 carbon atoms, preferably 12 to 16 carbon atoms. The alkyl sulfates have the formula ROSO3-M+ where R is the C8-22 alkyl group and M is a mono- and/or divalent cation.
- (3) Paraffin sulfonates having 8 to 22 carbon atoms, preferably 12 to 16 carbon atoms, in the alkyl moiety. These surfactants are commercially available as Hostapur SAS from Hoechst Celanese.
- (4) Olefin sulfonates having 8 to 22 carbon atoms, preferably 12 to 16 carbon atoms. U.S. Pat. No. 3,332,880 contains a description of suitable olefin sulfonates.
- (5) Alkyl ether sulfates derived from ethoxylating an alcohol having 8 to 22 carbon atoms, preferably 12 to 16 carbon atoms, less than 30, preferably less than 12, moles of ethylene oxide. The alkyl ether sulfates having the formula:

RO(C2H4O)x503*M+

where R is the C_{8-22} alkyl group, x is 1-30, and M is a mono- or divalent cation.

- (6) Alkyl glyceryl ether sulfonates having 8 to 22 carbon atoms, preferably 12 to 16 carbon atoms, in the alkyl moiety.
 - (7) Fatty acid ester sulfonates of the formula:

R1 - CH(\$03*M+)CO2R2

wherein R₁ is straight or branched alkyl from about Cg to C₁g, preferably C₁₂ to C₁₆, and R₂ is straight or branched alkyl from about C₁ to C₆, preferably primarily C₁, and M⁺ represents a monoor divalent cation.

- (8) Secondary alcohol sulfates having 6 to 18 carbon atoms, preferably 8 to 16 carbon atoms.
 - (9) Alkyl ethoxy carboxylates of the generic formula

35

5

10

15

20

25

PCT/US94/09923

- 4 -

RO(CH2CH2O)xCH2COO-M+ wherein R is a C12 to C16 alkyl group, x ranges from 0 to about 10, and the ethoxylate distribution is such that, on a weight basis, the amount of material where x is 0 is less than about 20%, preferably less than about 15%, most preferably less than about 10%, and the amount of material where x is greater than 7 is less than about 25%, preferably less than about 15%, most preferably less than about 10%, the average x is from about 2 to 4 when the average R is C13 or less, and the average x is from about 3 to 6 when the average R is greater than C13, and M is a cation preferably chosen from alkali metal, ammonium, mono-, di-, and tri-ethanolammonium, most preferably from sodium, potassium, ammonium, and mixtures thereof. The preferred alkyl ethoxy carboxylates are those where R is a C12 to C14 alkyl group.

- (10) The following general structures illustrate some of the "special soaps", or their precursor acids (aka C_{11-16} alkyl carboxyls) employed in this invention:
 - A. A highly preferred class of soaps used herein comprises the C₁₀-C₁₆ secondary carboxyl materials of the formula R^3 CH(R^4)COOM, wherein R^3 is CH₃(CH₂)_X and R^4 is CH₃(CH₂)_y, wherein y can be 0 or an integer from 1 to 6, x is an integer from 6 to 12 and the sum of (x + y) is 6-12, preferably 7-11, most preferably 8-9.
 - B. Another class of special soaps useful herein comprises those carboxyl compounds wherein the carboxyl substituent is on a ring hydrocarbyl unit, i.e., secondary soaps of the formula R5-R6-COOM, wherein R5 is C7-C10, preferably C8-C9, alkyl or alkenyl and R6 is a ring structure, such as benzene, cyclopentane, cyclohexane, and the like. (Note: R5 can be in the ortho, meta or para position relative to the carboxyl on the ring.)
 - C. Still another class of soaps includes the C_{10} - C_{18} primary and secondary carboxyl compounds of the formula R^7 CH(R^8)COOM, wherein the sum of the carbons in R^7 and R^8 is 8-16, R^7 is of the form CH₃-(CHR⁹)_X and R^8 is of the form H-(CHR⁹)_y, where x and y are integers in the range 0-15 and R^9 is H or a C_{1-4} linear or branched

35

10

15

20

25

30

35

PCT/US94/09923 WO 95/07971

- 5 -

alkyl group. R9 can be any combination of H and C1-4 linear or branched alkyl group members within a single -(CHR9)x.y group; however, each molecule in this class must contain at least one R9 that is not H. These types of molecules can be made by numerous methods, e.g. by hydroformylation and oxidation of branched olefins, hydroxycarboxylation of branched olefins, oxidation of the products of Guerbet reaction involving branched oxoalcohols. The branched olefins can be derived by oligomerization of shorter olefins, e.g. isobutylene, branched hexene, propylene and pentene.

Yet another class of soaps includes the C10-C18 tertiary carboxyl compounds, e.g., neo-acids, of the formula R10CR11(R12)COOM, wherein the sum of the carbons in R10, R11 and R12 is 8-16. R10, R11, and R12 are of the form $\text{CH}_3\text{-}(\text{CHR}^{13})_{\text{X}}$, where x is an integer in the range 0-13, and RI3 is H or a C1-4 linear or branched alkyl group. Note that R13 can be any combination of H and C1-4 linear or branched alkyl group members within a single $-(CHR13)_{X}$ group. These types of molecules result from addition of a carboxyl group to a branched olefin, e.g., by the Koch reaction. Commercial examples include the neodecanoic acid manufactured by Exxon,

In each of the above formulas A, B, C and D, the species M can be any suitable, especially water-solubilizing, counterion, alkali metal, alkaline earth metal, alkanolammonium, di- and tri- alkanolammonium, C1-C5 alkyl substituted ammonium and the like. Sodium is convenient, as is diethanolammonium.

VersaticTM acids manufactured by Shell.

Preferred secondary special soaps for use herein are water-soluble members selected from the group consisting of the 2-methyl-1-undecanoic acid. of salts water-soluble 2-propyl-1-nonanoic açid, 2-ethyl-1-decanoic acid, 2-penty1-1-heptanoic acid; acid: 2-butyl-1-octanoic 2-ethyl-1-undecanoic acid: 2-methyl-1-dodecanoic acid;

PAGE 14/39 * RCVD AT 7/13/2005 10:20:55 AM [Eastern Daylight Time] * SVR:USPTO-EFXRF-1/3 * DNIS:8729306 * CSID: * DURATION (mm-ss):10-16

15

20

25

30

35

WO 95/07971

PCT/US94/09923

- 6 -

2-buty1-1-nonanoic 2-propyl-1-decanoic acid: acid: 2-pentyl-1-octanoic acid and mixtures thereof

(11) Mixtures thereof.

The above described anionic surfactants are all available commercially. It should be noted that although both dialkyl sulfosuccinates and fatty acid ester sulfonates will function well at neutral to slightly alkaline pH, they will not be chemically stable in a composition with pH much greater than about 8.5.

Other useful surfactants for use in the compositions are the nonionic fatty alkylpolyglucosides. These surfactants contain straight chain or branched chain Cg to C15, preferably from about C12 to C14, alkyl groups and have an average of from about 1 to 5 glucose units, with an average of 1 to 2 glucose units being most preferred. U.S. Pat. Nos. 4,393,203 and 4,732,704, incorporated by reference, describe these surfactants.

The compositions hereof may also contain a polyhydroxy fatty acis amide surfactant of the structural formula:

> o Rl 11

R2 - C - N - Z (I)

wherein: R1 is H, C1-C4 hydrocarbyl, 2-hydroxy ethyl, 2-hydroxy propyl, or a mixture thereof, preferably C1-C4 alkyl, more preferably C1 or C2 alkyl, most preferably C1 alkyl (i.e., methyl); and R² is a C5-C31 hydrocarbyl, preferably straight chain C7-C1g alkyl or alkenyl, more preferably straight chain Cg-C17 alkyl or alkenyl, most preferably straight chain Cli-Cl7 alkyl or alkenyl, or mixtures thereof; and Z is a polyhydroxyhydrocarbyl having a linear hydrocarbyl chain with at least 3 hydroxyls directly connected to the chain, or an alkoxylated derivative (preferably ethoxylated or propoxylated) thereof. Z preferably will be derived from a reducing sugar in a reductive amination reaction; more preferably Z s a glycityl. Suitable reducing sugars include glucose, fructose, maltose, lactose, galactose, mannose, and xylose. As raw materials, high dextrose corn syrup, high fructose corn syrup, and high maltose corn syrup can be utilized as well as the individual sugars listed above. These corn syrups may yield a mix of sugar components for Z. It should

5

10

15

20

25

30

35

PCT/US94/09923

- 7 -

be understood that it is by no means intended to exclude other suitable raw materials. Z preferably will be selected from the group consisting of $-CH_2-(CHOH)_n-CH_2OH$, $-CH(CH_2OH)-(CHOH)_{n-1}-CH_2OH$, $-CH_2-(CHOH)_2(CHOR')(CHOH)-CH_2OH$, where n is an integer from 3 to 5, inclusive, and R' is H or a cyclic or aliphatic monosaccharide, and alkoxylated derivatives thereof. Most preferred are glycityls wherein n is 4, particularly $-CH_2-(CHOH)_4-CH_2OH$.

In Formula (I), R¹ can be, for example, N-methyl, N-ethyl, N-propyl, N-isopropyl, N-butyl, N-2-hydroxy ethyl, or N-2-hydroxy propyl.

 R^2 -CO-N< can be, for example, cocamide, stearamide, oleamide, lauramide, myristamide, capricamide, palmitamide, tallowamide, etc.

Z can be 1-deoxyglucityl, 2-deoxyfructityl, 1-deoxymaltityl, 1-deoxygalactityl, 1-deoxymannityl, 1-deoxymaltotriotityl, etc.

Methods for making polyhydroxy fatty acid amides are known in the art. In general, they can be made by reacting an alkyl amine with a reducing sugar in a reductive amination reaction to form a corresponding N-alkyl polyhydroxyamine, and then reacting the N-alkyl polyhydroxyamine with a fatty aliphatic ester or triglyceride in a condensation/amidation step to form the N-alkyl, N-polyhydroxy fatty acid amide product. Processes for making compositions containing polyhydroxy fatty acid amides are disclosed, for example, in G.B. Patent Specification 809,060, published February 18, 1959, by Thomas Hedley & Co., Ltd., U.S. Patent 2,965,576, issued December 20, 1960 to E. R. Wilson, and U.S. Patent 2,703,798, Anthony M. Schwartz, Issued March 8, 1955, U.S. Patent 1,985,424, issued December 25, 1934 to Piggott. 5,188,769, Connor et al, issued February 23, 1993 and 5,194,639, Connor et al, issued March 16, 1993, each of which is incorporated herein by reference.

Zwitterionic surfactants include derivatives of aliphatic quaternary ammonium, phosphonium, and sulphonium compounds in which the aliphatic moiety can be straight or branched chain and wherein one of the aliphatic substituents contains from about 8 to

PCT/US94/09923

- 8 -

24 carbon atoms and one contains an anionic water-solubilizing group. Particularly preferred zwitterionic materials are the ethoxylated ammonium sulfonates and sulfates disclosed in U.S. Pats. Nos. 3,925,262, Laughlin et al, issued December 9, 1975 and 3,929,262, Laughlin et al, issued December 30, 1975, said patents being incorporated herein by reference.

Ampholytic surfactants include derivatives of aliphatic or heterocyclic secondary and ternary amines in which the aliphatic moiety can be straight chain or branched and wherein one of the aliphatic substituents contains from about 8 to about 24 carbon atoms and at least one aliphatic substituent contains an anionic water-solubilizing group.

Protease Enzyme

The compositions of this invention contain from about 0.001% to about 5%, more preferably from about 0.003% to about 4%, most preferably from about 0.005% to about 3%, by weight, of active protease enzyme. Protease activity may be expressed in Anson units (A.U.) per kilogram of detergent. Levels of from 0.01 to about 150, preferably from about 0.05 to about 80, most perferably from about 0.1 to about 40 A.U. per kilogram have been found to be acceptable in compositions of the present invention.

The proteolytic enzyme can be of animal, vegetable or microorganism (preferred) origin. More preferred is serine proteolytic enzyme of bacterial origin. Purified or nonpurified forms of this enzyme may be used. Proteolytic enzymes produced by chemically or genetically modified mutants are included by definition, as are close structural enzyme variants. Particularly preferred is bacterial serine proteolytic enzyme obtained from <u>Bacillus</u>, Bacillus <u>subtilis</u> and/or <u>Bacillus licheniformis</u>.

Suitable proteolytic enzymes include AlcalaseR, EsperaseR, DurazymR, SavinaseR (preferred); MaxataseR, MaxacalR (preferred), and MaxapemR 15 (protein engineered Maxacal); PurafectR (preferred) and subtilisin BPN and BPN'; which are commercially available. Preferred proteolytic enzymes are also modified bacterial serine proteases, such as those described in European Patent Application Serial Number 87 303761.8, filed April 28, 1987 (particularly pages 17, 24 and 98), and which is called herein

PCT/US94/09923

-9-

"Protease B", and in European Patent Application 199,404, Venegas, published October 29, 1986, which refers to a modified bacterial serine proteolytic enzyme which is called "Protease A" herein. Preferred proteolytic enzymes, then, are selected from the group consisting of SavinaseR, AlcalaseR, EsperaseR, MaxacalR, PurafectR, BPN', Protease A and Protease B, and mixtures thereof; more preferably AlcalaseR, SavinaseR, BPN' Protease B, and mixtures thereof; most preferred is Protease B.

It is believed that the protease functions primarily by providing a desquamatory action to the detergent composition. It is believed that the proteases remove damaged (e.g. dry) skin cells on the surface of the skin, thereby reducing the rough feel associated therewith. The protease removes the effect of prior damage to the skin, giving the skin a fresher, more youthful appearance and feel. When the protease is combined with a detergent surfactant the overall effect is to promote the health of the skin and to provide the consumer with a perceived mildness or skin feel/appearance advantage over other similar detergent compositions which do not contain both of the essential ingredients herein while still maintaining good cleaning performance.

pH of the Composition

Dishwashing compositions of the invention will be subjected to acidic stresses created by food soils when put to use, i.e., diluted and applied to soiled dishes. If a composition with a pH greater than 7 is to be more effective in improving performance, it should contain a buffering agent capable of maintaining the alkaline pH in the composition and in dilute solutions, i.e., about 0.1% to 0.4% by weight aqueous solution, of the composition. The pKa value of this buffering agent should be about 0.5 to 1.0 pH units below the desired pH value of the composition (determined as described above). Preferably, the pKa of the buffering agent should be from about 7 to about 9.5. Under these conditions the buffering agent most effectively controls the pH while using the least amount thereof.

The buffering agent may be an active detergent in its own right, or it may be a low molecular weight, organic or inorganic

15

20

25

30

35

WO 95/07971

PCT/US94/09923

- 10 -

material that is used in this composition solely for maintaining an alkaline pH. Preferred buffering agents for compositions of this invention are nitrogen-containing materials. Some examples are amino acids or lower alcohol amines like mono-, di-, and tri-ethanolamine. Other preferred nitrogen-containing buffering agents are 2-amino-2-ethyl-1,3-propanediol, 2-amino-2-methy?-2-amino-2-methyl-1,3-propanediol, tris-(hydroxypropanol, methyl)aminomethane (a.k.a. tris) and disodium glutamate. diethanolamine, 1,3-diamino-2-propanol N.N'-tetra-N-methyl N.N-bis(2-hydroxyethyl)glycine methyl-1,3-diamino-2-propanol, (a.k.a. bicine), and N-tris (hydroxymethyl)methyl glycine (a.k.a. tricine) are also preferred. Mixtures of any of the above are acceptable.

The buffering agent is present in the compositions of the invention hereof at a level of from about 0.1% to 15%, preferably from about 1% to 10%, most preferably from about 2% to 8%, by weight of the composition.

Enzyme Stabilizing System

The preferred compositions herein may additionally comprise from about 0.001% to about 10%, preferably from about 0.005% to about 8%, most preferably from about 0.01% to about 6%, by weight of an enzyme stabilizing system. The enzyme stabilizing system can be any stabilizing system which is commatible with the enzyme of the present invention. Such stabilizing systems can comprise calcium ion, boric acid, propylene glycol, short chain carboxylic acid, boronic acid, polyhydroxyl compounds and mixtures thereof such as are described in U.S. Patents 4,261,868, Hora et al. issued April 14, 1981; 4,404,115, Tai, issued September 13, 1983; 4,318,818, Letton et al; 4,243,543, Guildert et al issued January 6, 1981; 4,462,922, Boskamp, issued July 31, 1984; 4,532,064, Boskamp, issued July 30, 1985; and 4,537,707, Severson Jr., issued August 27, 1985, all of which are incorporated herein by reference.

Additionally, from 0 to about 10%, preferably from about 0.01% to about 6% by weight, of chlorine bleach scavengers can be added to compositions of the present invention to prevent chlorine bleach species present in many water supplies from attacking and

10

15

20

25

30

WO 95/07971

PCT/US94/09923

- 11 -

inactivating the enzymes, especially under alkaline conditions. While chlorine levels in water may be small, typically in the range from about 0.5 ppm to about 1.75 ppm, the available chlorine in the total volume of water that comes in contact with the enzyme during dishwashing is usually large; accordingly, enzyme stability in-use can be problematic.

Suitable chlorine scavenger anions are salts containing ammonium cations. These can be selected from the group consisting of reducing materials like sulfite, bisulfite, thiosulfite. thiosulfate, iodide, etc., antioxidants like carbamate, ascorbate. etc., organic amines such as ethylenediaminetetracetic acid (EDTA) or alkali metal salt thereof and monoethanolamine (MEA), and mixtures thereof. Other conventional scavenging anions like sulfate, bisulfate, carbonate, bicarbonate, percarbonate, nitrate, chloride, borate, sodium perborate tetrahydrate, sodium perborate monohydrate, percarbonate, phosphate, condensed acetate, benzoate, citrate, formate, lactate, malate, tartrate, salicylate, etc. and mixtures thereof can also be used. The preferred ammonium salts or other salts of the specific chlorine scavenger anions can either replace the suds controlling agent or be added in addition to the suds controlling agent.

Although ammonium salts can be admixed with the detergent composition, they are prone to adsorb water and/or give off ammonia gas. Accordingly, it is better if they are protected in a particle like that described in U.S. Patent 4,652,392, Baginski et al, which is incorporated herein by reference.

Suds Boosters

Highly desirable components include from about 1% to about 20%, preferably from about 2% to about 15% of suds boosters such as betaines, ethylene oxide condensates, fatty acid amides, amine oxide semi-polar nonionics, sultaines, complex betaines and cationic surfactants.

The composition of this invention can contain betaine detergent surfactants having the general formula:

5

10

15

20

25

30

PCT/US94/09923

- 12 -

wherein R is a hydrophobic group selected from the group consisting of alkyl groups containing from about 10 to about 22 carbon atoms, preferably from about 12 to about 18 carbon atoms, alkyl aryl and aryl alkyl groups containing a similar number of carbon atoms with a benzene ring being treated as equivalent to about 2 carbon atoms, and similar structures interrupted by amido or ether linkages; each R¹ is an alkyl group containing from 1 to about 3 carbon atoms; and R² is an alkylene group containing from 1 to about 6 carbon atoms.

Examples of preferred betaines are dodecyl dimethyl betaine, cetyl dimethyl betaine, dodecyl amidopropyldimethyl betaine, tetradecylamidopropyldimethyl betaine, and dodecyldimethylammonium hexanoate.

Other suitable amidoalkylbetaines are disclosed in U.S. Pat. Nos. 3,950,417; 4,137,191; and 4,375,421; and British Patent GB No. 2,103,236, all of which are incorporated herein by reference.

It will be recognized that the alkyl (and acyl) groups for the above betaine surfactants can be derived from either natural or synthetic sources, e.g., they can be derived from naturally occurring fatty acids; olefins such as those prepared by Ziegler, or Oxo processes; or from olefins separated from petroleum either with or without "cracking".

The ethylene oxide condensates are broadly defined as compounds produced by the condensation of ethylene oxide groups (hydrophilic in nature) with an organic hydrophobic compound, which can be aliphatic or alkyl aromatic in nature. The length of the hydrophilic or polyoxyalkylene radical which is condensed that any particular hydrophobic group can be readily adjusted to years a water-soluble compound having the desired balance between hydrophilic and hydrophobic elements.

Examples of such ethylene oxide condensates suitable as suds stabilizers are the condensation products of aliphatic alcohols with ethylene oxide. The alkyl chain of the aliphatic alcohol can either be straight or branched and generally contains from about 8 to about 18, preferably from about 8 to about 14, carbon atoms for best performance as suds stabilizers, the ethylene oxide being present in amounts of from about 8 moles to about 30, preferably

10

15

20

25

30

WO 95/07971

PCT/US94/09923

- 13 -

from about 8 to about 14 moles of ethylene oxide per mole of alcohol.

Examples of the amide surfactants useful herein include the ammonia, monoethanol, and diethanol amides of fatty acids having an acyl moiety containing from about 8 to about 18 carbon atoms and represented by the general formula:


$$R_1 - CO - N(H)_m - 1(R_2OH)_3 - m$$

wherein R is a saturated or unsaturated, aliphatic hydrocarbon radical having from about 7 to 21, preferably from about 11 to 17 carbon atoms; R2 represents a methylene or ethylene group; and m is 1, 2, or 3, preferably 1. Specific examples of said amides are mono-ethanol amine coconut fatty acid amide and diethanol amine dodecyl fatty acid amide. These acyl moieties may be derived from naturally occurring glycerides, e.g., coconut oil, palm oil, soybean oil, and tallow, but can be derived synthetically, e.g., by the oxidation of petroleum or by hydrogenation of carbon monoxide by the Fischer-Tropsch process. The monoethanol amides and diethanolamides of C12-14 fatty acids are preferred.

Amine oxide semi-polar nonionic surfactants comprise compounds and mixtures of compounds having the formula:

R₂ | R₁(C₂H₄O)_NN+ ----0-| R₃

wherein R₁ is an alkyl, 2-hydroxyalkyl, 3-hydroxyalkyl, or 3-alkoxy-2-hydroxypropyl radical in which the alkyl and alkoxy, respectively, contain from about 8 to about 18 carbon atoms, R₂ and R₃ are each methyl, ethyl, propyl, isopropyl, 2-hydroxyethyl, 2-hydroxypropyl, or 3-hydroxypropyl, and n is from 0 to about 10. Particularly preferred are amine oxides of the formula:



5

10

PCT/US94/09923

- 14 -

wherein R_1 is a C_{12-16} alkyl and R_2 and R_3 are methyl or ethyl. The above ethylene oxide condensates, amides, and amine oxides are more fully described in U.S. Pat. No. 4,316,824 (Pancherl), incorporated herein by reference.

The sultaines useful in the present invention are those compounds having the formula (R(R1)2N+R2SO3- wherein R is a C6-C18hydrocarbyl group, preferably a C10-C16 alkyl group, more preferably a C12-C13 alkyl group, each R1 is typically C1-C3 alkyl, preferably methyl, and R2 is a C1-C6 hydrocarbyl group, preferably a C1-C3 alkylene or, preferably, hydroxyalkylene group. include ٥f suitable sultaines C12-C14 Examples dimethylammonio-2-hydroxypropyl sulfonate, C12-14 amido propyl ammonio-2-hydroxypropyl sultaine, C12-14 dihydroxyethylammonio propane sulfonate, and C16-18 dimethylammonio hexane sulfonate, with C12-14 amido propyl ammonio-2-hydroxypropyl sultaine being preferred.

The complex betaines for use herein have the formula:

$$R - (A)_n - [N - (CHR_1)_X]_y - N - Q (I)$$

20

15

wherein R is a hydrocarbon group having from 7 to 22 carbon atoms, A is the group (C(0), n is 0 or 1, R_I is hydrogen or a lower alkyl group, x is 2 or 3, y is an integer of 0 to 4, Q is the group -R₂COOM wherein R₂ is an alkylene group having from 1 to 6 carbon atoms and H is hydrogen or an ion from the groups alkali metals, alkaline earth metals, ammonium and substituted ammonium and B is hydrogen or a group Q as defined.

An example of this category is alkylamphopolycarboxy glycinate of the formula:

CH2COONa

CH2COONa CH2COONa

CH2CH2Na

30

35

25

R - N - CH2CH2CH2 - N - CH2CH2CH2N - CH2CH2CH2N <

CH2COONa

The composition of this invention can also contain certain cationic quaternary ammonium surfactants of the formula:

 $[R^{1}(OR^{2})_{y}][R^{3}(OR^{2})_{y}]_{2}R^{4}N^{+}X^{-}$

or amine surfactants of the formula:

5

10

15

20

25

30

35

PCT/US94/09923

- 15 -

$[R^{1}(OR^{2})_{V}][R^{3}(OR^{2})_{V}]R^{4}N$

wherein R1 is an alkyl or alkyl benzyl group having from about 6 to about 16 carbon atoms in the alkyl chain; each R2 is selected from the group consisting of -CH2CH2-. -CH2CH(CH3)-. -CH2CH(CH2OH)-, -CH2CH2CH2-, and mixtures thereof; each R3 is selected from the group consisting of C_1 - C_4 alkyl, C_1 - C_4 hydroxyalkyl, benzyl, and hydrogen when y is not 0; R4 is the same as R3 or is an alkyl chain wherein the total number of carbon atoms of R1 plus R4 is from about 8 to about 16; each y is from 0 to about 10, and the sum of the y values is from 0 to about 15; and X is any compatible anion.

Preferred of the above are the alkyl quaternary ammonium surfactants, especially the mono-long chain alkyl surfactants described in the above formula when R4 is selected from the same groups as R3. The most preferred quaternary ammonium surfactants are the chloride, bromide, and methylsulfate C8-16 alkyl trimethy lammonium saits. alkyl Cg-16 di (hydroxyethyl) methyl ammonium salts, the C8-16 alkyl hydroxyethyldimethylammonium salts, Cg-16 alkyloxypropyl trimethylammonium salts. and the C8-16 alkyloxypropyl dihydroxyethylmethylammonium salts. Of the above, the C10-14 trimethylammonium salts are preferred. trimethylammonium methylsulfate. lauryl trimethylammonium chloride, myristyl trimethylammonium bromide and trimethylammonium chloride, and methylsulfate.

The suds boosters used in the compositions of this invention can contain any one or mixture of the suds boosters listed above. Calcium or Magnesium Ions

The presence of calcium and/or magnesium (divalent) ions improves the cleaning of greasy soils for various compositions, i.e. compositions containing alkyl ethoxy carboxylates and/or polyhydroxy fatty acid amide. This is especially true when the compositions are used in softened water that contains few divalent ions. It is believed that calcium and/or magnesium ions increase the packing of the surfactants at the oil/water interface, thereby reducing interfacial tension and improving grease cleaning.

5

10

15

20

25

30

PCT/US94/09923

- 16 -

Compositions of the invention hereof containing magnesium and/or calcium ions exhibit good grease removal, manifest mildness to the skin, and provide good storage stability. The ions are present in the compositions hereof at an active level of from about 0.1% to 4%, preferably from about 0.3% to 3.5%, more preferably from about 0.5% to 1%, by weight.

Preferably, the magnesium or calcium ions are added as a hydroxide, chloride, acetate, formate, oxide or nitrate salt to the compositions of the present invention.

The amount of calcium or magnesium ions present in compositions of the invention will be dependent upon the amount of total surfactant present therein, including the amount of alkyl ethoxy carboxylates and polyhydroxy fatty acid amide. When calcium ions are present in the compositions of this invention, the molar ratio of calcium ions to total anionic surfactant is from about 0.25:1 to about 2:1 for compositions of the invention.

Formulating such divalent ion-containing compositions in alkaline pH matrices may be difficult due to the incompatibility of the divalent ions, particularly magnesium, with hydroxide ions. When both divalent ions and alkaline pH are combined with the surfactant mixture of this invention, grease cleaning is achieved that is superior to that obtained by either alkaline pH or divalent ions alone. Yet, during storage, the stability of these compositions becomes poor due to the formation of hydroxide precipitates. Therefore, chelating agents discussed herein below may also be necessary.

Other Optional Components

In addition to the essential ingredients described hereinbefore, the compositions contain other conventional ingredients. especially those associated with dishwashing compositions.

The compositions can also contain from about 0.01% to about 15%, preferably from about 1% to about 10%, by weight nonionic detergent surfactants which do not foam and may even inhibit foaming. Suitable nonionic detergents are disclosed in U.S. Patent 4,321,165, Smith et al (March 23, 1982) 4,316,824 Pancheri (February 234, 1982) and U.S. Patent 3,929,678, Laughlin et al.,

10

15

20

25

30

35

WO 95/07971

PCT/US94/09923

- 17 -

(December 30, 1975). Exemplary, non-limiting classes of useful nonionic surfactants are listed below.

- I. The polyethylene, polypropylene, and polybutylene oxide condensates of alkyl phenols. In general, the polyethylene oxide condensates are preferred. These compounds include the condensation products of alkyl phenols having an alkyl group containing from 6 to 12 carbon atoms in either a straight- or branched-chain configuration with the alkylene oxide. Commercially available nonionic surfactants of this type include IgepalTM CO-630, marketed by the GAF Corporation; and TritonTM X-45, X-114, X-100, and X-102, all marketed by the Rohm & Haas Company.
- 2. The condensation products of aliphatic alcohols with from about 1 to about 25 moles of ethylene oxide. The alkyl chain of the aliphatic alcohol can either be straight or branched, primary or secondary, and generally contains from 8 to 22 carbon atoms. Particularly preferred are the condensation products of alcohols having an alkyl group containing from about 10 to about 20 carbon atoms with from about 2 to about 10 moles of ethylene oxide per mole of alcohol.
- 3. The condensation products of ethylene oxide with a hydrophobic base formed by the condensation of propylene oxide with propylene glycol. The hydrophobic portion of these compounds preferably has a molecular weight of from about 1500 to about 1800 and exhibits water insolubility.
- 4. The condensation products of ethylene oxide with the product resulting from the reaction of propylene oxide and ethylenediamine.
- 5. Alkylpolysaccharides disclosed in U.S. Patent 4,565,647, Llenado, issued January 21, 1986, having a hydrophobic group containing from about 6 to about 30 carbon atoms, preferably from about 10 to about 16 carbon atoms and a polysaccharide, e.g., a polyglycoside, hydrophilic group containing from about 1.3 to about 10, preferably from about 1.3 to about 3, most preferably from about 1.3 to about 2.7 saccharide units. U.S. Patent Nos. 4,373,203 and 4,732,704, incorporated herein by reference, also describe acceptable surfactants.

5

10

15

20

25

30

35

PCT/US94/09923

- 18 -

Other conventional optional ingredients which are usually used in additive levels of below about 5% include opacifiers, antioxidants, bactericides, dyes, perfumes, optical brighteners, and the like.

Optional enzymes such as lipase and/or amylase may be added to the compositions of the present invention for additional cleaning benefits.

Detergency builders can also be present in amounts from 0% to about 50%, preferably from about 2% to about 30%, most preferably from about 5% to about 15%. It is typical in light duty liquid or gel dishwashing detergent compositions to have no detergent builder present. However, certain compositions containing magnesium or calcium ions may require the additional presence of low levels of, preferably from 0 to about 10%, more preferably from about 0.5% to about 3%, chelating agents selected from the group consisting of bicine/bis(2-ethanol)blycine), citrate N-(2-hydroxylethyl) iminodiacetic acid (HIDA), N-(2,3-dihydroxy-propyl) iminodiacetic acid (GIDA), and their alkali metal salts. Some of these chelating agents are also identified in the art as detergency builders.

The compositions of this invention may contain for chelating and detergency purposes from about 0.001% to about 15% of certain alkylpolyethoxypolycarboxlyate surfactants of the general formula

wherein R is a C₆ to C₁₈ alkyl group, x ranges from about 1 to about 24, R₁ and R₂ are selected from the group consisting of hydrogen, methyl acid radical succinic acid radical hydroxy succinic acid radical, and mixtures thereof, wherein at least one R₁ or R₂ is a succinic acid and/or hydroxysuccinic acid radical. An example of a commercially available alkylpolyethoxypolycarboxylate which can be employed in the present invention is POLY-TERGENT C, Olin Corporation, Cheshire, CT.

The alkylpolyethoxypolycarboxylate surfactant is selected on the basis of its degree of hydrophilicity. A balance of carboxylation and ethoxylation is required in the

10

15

20

25

30

35

WO 95/07971

PCT/US94/09923

- 19 -

alkylpolyethoxypolycarboxylate in order to achieve maximum chelating benefits without affecting the cleaning benefits which is associated with the divalent ions or the sudsing of the liquid or gel dishwashing detergent compositions. The number of carboxylate groups dictates the chelating ability, too much carboxylation will result in too strong a chelator and prevent cleaning by the divalent ions. A high degree of ethoxylation is desired for mildness and solubility; however, too high a level will affect sudsing. Therefore, an alkylpolyethoxypolycarboxylate with a modest degree of ethoxylation and minimal carboxylation is desirable.

Other desirable ingredients include diluents and solvents. Diluents can be inorganic salts, such as sodium sulfate, sodium chloride, sodium bicarbonate, etc., and the solvents include water, lower molecular weight alcohols such as ethyl alcohol, isopropyl alcohol, etc. In liquid detergent compositions there will typically be from 0% to about 90%, preferably from about 20% to about 70%, most preferably from about 40% to about 60% of water, and from 0% to about 50%, most preferably from about 3% to about 10% of ingredients to promote solubility, including ethyl or isopropyl alcohol, conventional hydrotropes, etc.

Method Aspect

In the method aspect of this invention, soiled dishes are contacted with an effective amount, typically from about 0.5 ml. to about 20 ml. (per 25 dishes being treated), preferably from about 3 ml. to about 10 ml., of the detergent composition of the present invention. The actual amount of liquid detergent composition used will be based on the judgement of user, and will typically depend upon factors such as the particular product formulation of the composition, including the concentration of active ingredient in the composition, the number of soiled dishes to be cleaned, the degree of soiling on the dishes, and the like. The particular product formulation, in turn, will depend upon a number of factors, such as the intended market (i.e., U.S., Europe, Japan, etc.) for the composition product. The following examples of typical methods in which the detergent compositions of the present invention may be used to clean dishes.

5

10

15

20

25

30

35

PCT/US94/09923

- 20 -

These examples are for illustrative purposes and are not intended to be limiting.

In a typical U.S. application, from about 3 ml. to about 15 ml., preferably from about 5 ml. to about 10 ml. of a liquid detergent composition is combined with from about 1,000 ml. to about 10,000 ml., more typically from about 3,000 ml. to about 5,000 ml. of water in a sink having a volumetric capacity in the range of from about 5,000 ml. to about 20,000 ml., more typically from about 10,000 ml. to about 15,000 ml. The detergent composition has a surfactant mixture concentration of from about 21% to about 44% by weight, preferably from about 25% to about 40% by weight. The soiled dishes are immersed in the sink containing the detergent composition and water, where they are cleaned by contacting the soiled surface of the dish with a cloth, sponge, or similar article. The cloth, sponge, or similar article may be immersed in the detergent composition and water mixture prior to being contacted with the dish surface, and is typically contacted with the dish surface for a period of time ranging from about I to about 10 seconds, although the actual time will vary with each application and user. The contacting of the cloth, sponge, or similar article to the dish surface is preferably accompanied by a concurrent scrubbing of the dish surface.

In a typical European market application, from about 3 ml. to about 15 ml., preferably from about 3 ml. to about 10 ml. of a liquid detergent composition is combined with from about 1,000 ml. to about 10,000 ml., more typically from about 3,000 ml. to about 5,000 ml. of water in a sink having a volumetric capacity in the range of from about 5,000 ml. to about 20,000 ml., more typically from about 10,000 ml. to about 15,000 ml. The detergent composition has a surfactant mixture concentration of from about 20% to about 50% by weight, preferably from about 30% to about 40%, by weight. The soiled dishes are immersed in the sink containing the detergent composition and water, where they are cleaned by contacting the soiled surface of the dish with a cloth, sponge, or similar article. The cloth, sponge, or similar article may be immersed in the detergent composition and water mixture prior to being contacted with the dish surface, and is typically

5

10

15

20

25

30

35

PCT/US94/09923

- 21 -

contacted with the dish surface for a period of time ranging from about 1 to about 10 seconds, although the actual time will vary with each application and user. The contacting of the cloth, sponge, or similar article to the dish surface is preferably accompanied by a concurrent scrubbing of the dish surface.

In a typical Latin American and Japanese market application, from about 1 ml. to about 50 ml., preferably from about 2 ml. to about 10 ml. of a detergent composition is combined with from about 50 ml. to about 2,000 ml., more typically from about 100 ml. to about 1,000 ml. of water in a bowl having a volumetric capacity in the range of from about 500 ml. to about 5,000 ml., more typically from about 500 ml. to about 2,000 ml. The detergent composition has a surfactant mixture concentration of from about 5% to about 40% by weight, preferably from about 10% to about 30% by weight. The soiled dishes are cleaned by contacting the soiled surface of the dish with a cloth, sponge, or similar article. The cloth, sponge, or similar article may be immersed in the detergent composition and water mixture prior to being contacted with the dish surface, and is typically contacted with the dish surface for a period of time ranging from about 1 to about 10 seconds, although the actual time will vary with each application and user. The contacting of the cloth, sponge, or similar article to the dish surface is preferably accompanied by a concurrent scrubbing of the dish surface.

Another method of use will comprise immersing the soiled dishes into a water bath without any liquid dishwashing detergent. A device for absorbing liquid dishwashing detergent, such as a sponge, is placed directly into a separate quantity of undiluted liquid dishwashing composition for a period of time typically ranging from about 1 to about 5 seconds. The absorbing device, and consequently the undiluted liquid dishwashing composition, is then contacted individually to the surface of each of the soiled dishes to remove said soiling. The absorbing device is typically contacted with each dish surface for a period of time range from about 1 to about 10 seconds, although the actual time of application will be dependent upon factors such as the degree of soiling

PCT/US94/09923

- 22 -

of the dish. The contacting of the absorbing device to the dish surface is preferably accompanied by concurrent scrubbing.

As used herein, all percentages, parts, and ratios are by weight unless otherwise stated.

The following Examples illustrate the invention and facilitate its understanding.

EXAMPLE I

A commercial enzyme (a protease), Maxatase^R, was added at the level of 26 Anson Units per kilogram of product (Composition A) to a mild, light duty dishwashing liquid (Composition B) comprising 13 parts ammonium C12-13 alkylpolyethoxylate(1) sulfate, 14 parts ammonium C12-13 alkylpolyethoxylate(12) sulfate, and 5 parts C12 alkyldimethyl amine oxide.

A home usage test was conducted with 120 panelists. Half of them used the enzyme containing product (Composition A) and the other half used the non-enzyme product (Composition B) for two weeks. They were then asked to compare the test product with their own product. Composition A was rated significantly higher (>95% confidence level) for product mildness, softness of hands, and smoothness of hands.

Similarly, in a hand immersion test, panelists were asked to soak their hands in the two different product solutions for 30 minutes each day, Monday through Thursday. Their hand conditions were then evaluated by expert graders to evaluate the overall health and the extent of flakiness and panelist preferences between treatments were determined. All results indicated that Composition A treated skin was moister and smoother than Composition B and was more preferred by the panelists.

EXAMPLE II

Light duty liquid dishwashing detergent formulae are as follows:

		<u>Composi</u>	<u>tion</u>
<u>Ingredient</u>	<u>c</u>	D	Ē
		% Weight	
Ammonium C ₁₂₋₁₃ alkyl			
ethoxy(1) sulfate	28.50	28.50	28.50

15

PCT/US94/09923

- 23 -

	Coconut amine oxide	2.61	2.61	2.61
	Betaine/Tetronic 704®	0.87/0.10	0.87/0.10	0.87/0.10
	Ammonium xylene sulfonate	2.00	2.00	2.00
	Ethanol	4.00	4.00	4.00
5	Ammonium citrate	0.06	0.06	0.06
	Magnesium chloride	3.32	3.32	3.32
	Ammonium sulfate	0.08	0.08	0.08
	Hydrogen peroxide	200 ppm	200 ppm	200 ppm
	Perfume	0.18	0.18	0.18
10	JR 400 Polymer	0.00	1.00	0.00
	Protease B	0.00	0.00	0.50
	Water and minors		Balance	

A hand immersion in which panelists were asked to soak each hand in two different solutions, one a day for four days resulted in significantly improved mildness for the protease containing composition (Composition E) as compared to control (Composition C) and composition containing cationic polymer (Composition D).

EXAMPLE III

20 Light duty liquid dishwashing detergent formulae are as follows:

		9	Composition	
	<u>Ingredient</u>	E	<u>G</u> % Weight	Ħ
25	Ammonium C12 C13 alkyl			
	ethoxy (1) sulfate	15.500	15.500	15.500
	Ammonium alkyl ethoxy (Ave 6.5) sulfate	11.900	11.900	11.900
	Amine oxide	5.000	5.000	5.000
30	Ammonium xylene			
	sul fonate	4.000	5.000	4.000
	Ethanol	5.500	5.500	5.500
	Sodium chloride	1.000	1.000	1.000
	Ammonium citrate	0.100	0.100	0.100
35	Perfume	0.090	0.090	0.090
	Hydrogen peroxide	0.165	0.165	0.165

WO 95/07971

PCT/US94/09923

- 24 -

Protease B	0.000	0.050	0.150
Water and minors		Balance-	

A hand immersion test in which panelists were asked to soak their hands twice a day for 15 minutes each for four days resulted in significantly improved skin condition for lower protease containing compositions (G) as compared to control (F) and containing 0.15% active protease (Composition H).

EXAMPLE IV

Light duty liquid dishwashing detergent formulae are as follows:

			Composition	
•	Ingredient	Ţ	<u> 7</u>	K
15	<u></u>		% Weight	
13	Sodium C ₁₂₋₁₃ alkyl ethoxy (1) sulfate	6.000	6.000	6.000
	Sodium C12-13 alkyl ethoxy (1-3) sulfate	13.200	13.200	13.200
	C12 Glucose Amide	6.000	6.000	6.000
20	Coconut amine oxide	2.000	2.000	2.000
	Hydrogen peroxide	0.006	0.006	0.006
	Ethanol	5.500	5.500	5.500
	Neodol® CliEgl	5.000	5.000	5.000
25	Sodium diethylene penta			•
_	acetate (40%)	0.030	0.030	0.030
	Perfume	0.090	0.090	0.090
	Magnesium++ (added as chloride)	0.700	0.700	0.700
30	Calcium++ (added as	0.400	0.400	0.400
50	chloride) Sodium	sulfate	0.060	0.060
	0.060		- 4	4 676
	Protease B	0.000	0.050	0.010
	Water and minors		Balance	
35	pH @10% (As made)	7.100	7.100	7.100
	Inonionic surfactant fr	om Shell		

PCT/US94/09923

A hand temersion test consisting of eighteen panelists soaking their hands hands in test products once a day for 30 minutes for a total of four days resulted in significant improvements in overall skin condition for both levels of protease containing compositions (J and K) as compared to control (I).

- 25 -

EXAMPLE	٧			•
Concentrated light duty	Dłupir	dishwas	hing	dotergent
compositions are as follows:				•
•		% By We	ight	
Ingredients	L	M	H	o I.
	0.06	0.06	0.06	0.06
	9.15	9.15	9.15	9.15
Magnestum hydroxide	2.18	2.18	2.18	2.18
Sucrose	1.50	1.50	1.50	1,50
Alkyl ethoxy(1.0) sulfate	34.14	34.14	34.14	
Sodium hydroxide	1.13	1.13	1.13	1.13
Polyhydroxy fatty acid amide	6.50	6.50	6.50	6,50
Amine oxide	3.00	3.00	3.00	3.00
Cocoamidopropyl betaine	2.00	2.00	2.00	2.00
Perfume	0.23	0,23	0.23	0.23
Calcium xylene sulfonate	2.05	2.05	0.00	0.00
Alkyl diphenyl oxide disulfonatel	0.00	0.00	2.30	2.30
Calcium formate	0.53	0.53	1.14	1.14
Protease B	0.05	80.0	0.05	5 0.08
Water		- Bala	ance	

1DOWFAX 2A

Other compositions of the present invention are obtained when Protease B is substituted with other proteases such as Maxacal R , Savinase R , and BPW.

PCT/US94/09923

WO 95/07971

ś

26

What is claimed is:

- 1. A light-duty liquid or gel dishwashing detergent composition comprising by weight:
- (a) from 5% to 99% of detergent surfactant selected from the group consisting of polyhydroxy fatty axid amides, nonionic fatty alkylpolyglycosides; C₈₋₂₂ alkyl sulfates; C₉₋₁₅ alkyl benzene sulfonates, C₈₋₂₂ alkyl ether sulfates; C₈₋₂₂ olefin sulfonates; C₈₋₂₂ paraffin sulfates; C₈₋₂₂ alkyl glyceryl ether sulfonates; fatty acid ester sulfonates; secondary alcohol sulfates; C₁₂₋₁₆ alkyl ethoxy carboxylates; C₁₁₋₁₆ special soaps; ampholytic detergent surfactants; zwitterionic detergent surfactants; and mixtures thereof; and
- 10 (b) from 0.001% to 5% active protease; preferably, the protease is selected from the group consisting of serine proteolytic enzyme obtained from Bacillus subtilis, Bacillus lichemiformis and minutures thereof.
 said composition having a pH between 4 to 11, preferably, between 6 and 10.
 - 2. The composition of Claim I wherein the detergent surfactant is selected from the group consisting of polyhydroxy fatty acid amides; nonionic fatty alkylpolyglucosides, C₈₋₂₂ alkyl sulfates; C₉₋₁₅ alkyl benzene sulfonates; C₈₋₂₂ alkyl ether sulfates; C₈₋₂₂ alkyl glyceryl ether sulfonates; fatty acid ester sulfonates; secondary alcohol sulfates; C₁₂₋₁₆ alkyl ethoxy carboxylates; C₁₁₋₁₆ secondary soaps and mixtures thereof.
 - 3. The composition of Claim 1 or 2 further comprising from about 1% to 20% suds booster and wherein the suds booster is selected from the group consisting of betwiness, ethylene oxide condensates, fatty acid amides, curino oxide semi-polar nonionics, suitaines, complex betaines, cationic surfactants and mixtures thereof
 - 4. The composition of any one of the preceding claims comprising from 0.003% to 4% active protease, wherein the protease is selected from the group consisting of Savinase®, Maxacal®, Protease A, Protease B, and mixtures thereof.
 - 5. The composition of any of the preceding claims wherein said detergent surfactant is selected from the group consisting of polyhydroxy fatty said amides; C8-

PCT/US94/09923

27

22 alkyl sulfates; C8-22 alkyl ether sulfates; C12-16 alkyl ethoxy carboxylates; C_{11} - C_{16} special soaps.

5

- The composition of any of the preceding claims comprising from 10% to 70% detergent surfactant.
- 7. The composition of any one of the preceding claims further comprising from 0001% to 10% of an enzyme stabilizing system.
- 8. The composition of any one of the preceding claims further comprising from 0.01% to 4% magnesium or calcium ions or mixtures thereof, wherein the magnesium or calcium ions are added as a salt selected from the group consisting of hydroxide, oxide, chloride, formate, acetate, and mixtures thereof and the enzyme stabilizing system is selected from the group consisting of calcium ion; boric acid; propylene glycol; short chain carboxylic acid; boronic acid; polyhydroxyl compounds and mixtures thereof.
- 9. A light duty liquid dishwashing detergent composition comprising by weight:
- (a) from 20% to 60% of a detergent surfactant selected from the group consisting of C₈₋₂₂ aikyl ether sulfates; C₁₂ glucose arnide; C₈₋₁₂alkyl sulfates; and mixtures thereof;
- 5 (b) from 0.005% to 3% active protease selected from the group consisting of Protease A, Protease B and mixtures thereof;
 - (c) from 0.1% to 10% nonionic surfactant selected from the group consisting of polyethylene, polypropylene, and polybutylene oxide condensates of alkyl phenols, condensation products of aliphatic alcohols with from 1 to 25 moles of ethylene oxide, condensation products of ethylene oxide with a hydrophobic base formed by the condensation of propylene oxide with propylene glycol; and mixtures thereof.
 - (d) from 2% to 15% suds booster selected from the group consisting of betaines, arnine oxide semi-polar nonionics, and mixtures thereof; and
- 15 (e) from 0.5% to 1% magnesium or calcium ions or mixtures thereof, the ions added as a salt selected from the group consisting of hydroxide, chloride, formate, and mixtures thereof;

PCT/US94/09923

28

wherein said composition having a pH in a 10% water solution at 20°C of between 6.5 and 9.5.

20

10. A method for improving light duty liquid dishwashing detergent composition mildness comprising adding a low level of protez an enzyme with detergent surfactant.

INTERNATIONAL SEARCH REPORT

Intern al Application No PCT/US 94/09923

		PC1703 347	V3365
A. CLASSII IPC 6	C11D3/386 C11D17/00 C11D1/94	C11D1/86	
	International Patent Classification (IPC) or to both national classific	ution and IPC	
B. FIELDS	SEARCHED COMMUNION SCARCHED (classification system followed by classification	symbols)	
IPC 6	C11D		
Documenter	ion searched other than minimum documentation to the extent that m	n documents are included in the fields w	parenes .
Electronic d	sta base consulted during the international search (name of data base	and, where practical, search terms used)	
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT		Refevent to claim No.
Category *	Citation of document, with indication, where appropriate, of the rel	our parages	
X	US,A,5 030 378 (VENEGAS) 9 July 19 see the whole document	991	1-10
٨	WO,A,92 06171 (THE PROCTER & GAMB 16 April 1992 see claims	LE CO.)	1-3,5,6, 8,9
٨	WO,A,92 08777 (THE PROCTER & GAME 29 May 1992 see page 10, line 27 - page 23, l claims 1,6-10		1-3,5,6, 8,9
	·		
Pe	rther documents are listed in the continuation of box C.	X Petent family members are lists	d in sunce.
	entegories of cited documents :	"I" later document published after the or primity date and not in conflict cled to understand the principle of	ntermational filing data with the application but theory underlying the
'B' cadio	ment defining the general state of the art which is not idered to be of particular relevance or document but published on or after the international	"X" document of bardenier rejevance; (he daimed invention
L' doca	g date ment which may throw doubts on priority claim(t) or the is eited to exhibits the publication date of snother tion or other special reason (as specialty)	.A. quemient of bargeries teleasoes!	he daimed invention
,0, qou	ment referring to an oral disclosure, use, exhibition or s meant ment published polar to the international filing date but	document member of the same par egiment intermed on the case of the set.	vious to a person skilled
1 1412	Girls gar, butturk over commen	Date of mailing of the international	
Date of t	7 February 1995	10.02.9	
Name at	A resiling address of the ISA	Authorized officer	
	Burupean Patent Office, P.B. 5818 Patentlant 3 NI 2230 HV Rijawik Yel. (+31-70) 340-2045, Tz. 31 651 epo til, Fac (+31-70) 340-3016	Serbetsoglou, A)

INTERNATIONAL SEARCH REPORT MARINE AL Application No

Palent document ited in search report	Publication date	Patent moni		Publication date
US-A-5030378	09-07-91	NONE		
MO-A-9206171	16-04-92	AU-A-	8735291	28-04-92
		CA-A-	2092194	29- 03-92
	·.	CN-A-	1062160	2 4- 06-92
		EP-A-	0550636	14-07-93
	-	HU-A-	64390	28-12-93
		JP-T-	6501729	24-02-94
		TR-A-	26013	01-11-93
WO-A-9208777	29 - 05-92	AU-A-	9063991	11-06-92
		CA-A-	2055045	17-05-92
		CN-A-	1062371	01-07-92
		CZ-A-	9300873	13-07-94
		EP-A-	0557426	01-09-93
	•	FI-A-	932199	14-05-93
		HU-A-	64782	28- 02-94
		JP-T-	6502884	31-03-94
		US-A-	5378409	03-01-95
		CA-A-	2055048	17-05-92
		Ü5-A-	5376310	27-12-94